




*Bureau of Air Quality*  
**Dry Cleaner**  
**Compliance Calendar**  
**2004**





## INSTRUCTIONS FOR USE

### 1. How to use this calendar to keep your records, if you kept similar records last year:

**JANUARY 2004**

**PERC PURCHASES RUNNING TOTAL**

<b>TOTAL FROM LAST MONTH</b> (DECEMBER 2003)		<b>55</b>	← Enter running total from last month.
<b>SUBTRACT PERC PURCHASED</b> (JANUARY 2003)		<b>-10</b>	← Enter the amount of PERC you bought during this same month last year, from last year's records or calendar. Subtract that amount.
<b>SUBTOTAL</b>		<b>45</b>	← This is your 12-month running total if you do not buy PERC this month.
<b>PURCHASE DATE</b>	<b>PURCHASE AMOUNT</b>	<b>12 MONTH RUNNING TOTAL</b>	
<b>1/12</b>	<b>+15</b>	<b>60</b>	← This is your 12-month running total, if you bought PERC this month. Record the last number in this column on next month's form in the line <b>TOTAL FROM LAST MONTH</b> .
	+		

Record the date you bought PERC this month, if any.

If you bought PERC this month, record the amount and add it to the subtotal. This amount will also go on next year's calendar for this same month under **SUBTRACT PERC PURCHASED**.



## 2. How to start a rolling 12 month log if you did not use a calendar last year:

To calculate your yearly perchloroethylene (perc) usage on a rolling, monthly basis, add together all perc purchases for the previous 12 months. As each new calendar month begins, add the new perc purchases for that month and subtract the perc purchases made in the same month of the previous year. Record all perc purchases on the date of purchase. Transfer the monthly totals to the next month's calendar. This will make it easier to figure the 12-month running totals. For example, calculate your running total for January 2004 like this:

Enter (Jan. 2003 through Dec. 2003) Total		_____ gal
Subtract January 2003 purchases	-	_____ gal
Add January <u>2004</u> perc purchases	+	_____ gal
Running Total for January 2004		_____ gal

## 3. CONDENSER TEMP. LOG

Check the outlet temperature of the refrigerated condenser every week. Record the temperature and date in the space provided. In the block marked "Is temp less than or equal to 45° F (7.2° C)?" Check "Y" or "N" for "yes" or "no". If you checked "N", the machine must be repaired.

## 4. INSPECTIONS

If you buy **140 gallons or more** of PERC per year, you must check your machine weekly for leaks and record the results. If you buy **less than 140 gallons** of PERC per year, you must conduct and record leak inspections at least every other week. Record the results of the inspections on the calendar. If you find leaks, they must be repaired within 24 hours. Indicate in the "DATE REPAIRED" block when repairs are completed. If you purchase a part, indicate the date ordered and the date installed. Parts must be ordered within **2** working days of detecting a leak and installed within **5** working days of receipt.

**Please Note:** This calendar is adapted from the original developed by Florida's Small Business Assistance Program. We thank them for their generosity in sharing it with us.





## JANUARY 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JANUARY 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

### NOTES

---

---

---

---

---

---

---

---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N    CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**JANUARY 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
				<b>1</b> <b>Happy New Year</b>	<b>2</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>3</b>
<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>10</b>
<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>17</b>
<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>24</b>
<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>31</b>

## FEBRUARY 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED FEBRUARY 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

### NOTES

---

---

---

---

---

---

---

---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**FEBRUARY 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>7</b>
<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>14</b>
<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>21</b>
<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>28</b>
<b>29</b>						

## MARCH 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MARCH 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES  <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/>
---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**MARCH 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>6</b>
<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>13</b>
<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>20</b>
<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>27</b>
<b>28</b>	<b>29</b>	<b>30</b>	<b>31</b>			

## APRIL 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED APRIL 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**APRIL 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
				1	2 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	3
4	5	6	7	8	9 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	10
11	12	13	14	15	16 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	17
18	19	20	21	22	23 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	24
25	26	27	28	29	30 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	

## MAY 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED MAY 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

### NOTES

---

---

---

---

---

---

---

---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**MAY 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
						<b>1</b>
<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>8</b>
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>15</b>
<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>22</b>
<b>23/30</b>	<b>24/31</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>29</b>

## JUNE 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JUNE 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality Dry Cleaner Air Emission Compliance Calendar

**JUNE 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
		<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>5</b>
<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>12</b>
<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>19</b>
<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>26</b>
<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>			

## JULY 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED JULY 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES  <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> 
--

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**JULY 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
				<b>1</b>	<b>2</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>3</b>
<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>10</b>
<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>17</b>
<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>24</b>
<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>31</b>

## AUGUST 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED AUGUST 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality Dry Cleaner Air Emission Compliance Calendar

**AUGUST 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>7</b>
<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>14</b>
<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>21</b>
<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>28</b>
<b>29</b>	<b>30</b>	<b>31</b>				

## SEPTEMBER 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED SEPTEMBER 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES  <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> <hr/> 
---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERTER VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**SEPTEMBER 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
			1	2	3 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	4
5	6	7	8	9	10 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	11
12	13	14	15	16	17 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	18
19	20	21	22	23	24 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	25
26	27	28	29	30		

## OCTOBER 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED OCTOBER 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

### NOTES

---

---

---

---

---

---

---

---

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**OCTOBER 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
					<b>1</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>2</b>
<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>9</b>
<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>16</b>
<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>23</b>
<b>24/31</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>30</b>

## NOVEMBER 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED NOVEMBER 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**NOVEMBER 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>6</b>
<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>13</b>
<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>20</b>
<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b>	<b>25</b>	<b>26</b> Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	<b>27</b>
<b>28</b>	<b>29</b>	<b>30</b>				

## DECEMBER 2004

### CONDENSER TEMP LOG

DATE	TEMP	Is temp less than or equal to 45° F (7.2° C)?
		Y N
		Y N
		Y N
		Y N
		Y N

### PERC PURCHASES RUNNING TOTAL

TOTAL FROM LAST MONTH		
SUBTRACT PERC PURCHASED DECEMBER 2003		-
SUBTOTAL		
PURCHASE DATE	PURCHASE AMOUNT	12 MONTH RUNNING TOTAL
	+	
	+	

NOTES

### WEEKLY OR BIWEEKLY LEAK INSPECTIONS

INSPECTED	LEAKING?					DATE PARTS ORDERED	DATE PARTS RECEIVED	DATE REPAIRED
	DATE							
HOSES	N Y	N Y	N Y	N Y	N Y			
DOOR	N Y	N Y	N Y	N Y	N Y			
PUMP	N Y	N Y	N Y	N Y	N Y			
SOLVENT TANK	N Y	N Y	N Y	N Y	N Y			
WATER SEPARATOR	N Y	N Y	N Y	N Y	N Y			
MUCK COOKER	N Y	N Y	N Y	N Y	N Y			
STILL	N Y	N Y	N Y	N Y	N Y			
EXHAUST DAMPER	N Y	N Y	N Y	N Y	N Y			
DIVERter VALVE	N Y	N Y	N Y	N Y	N Y			
FILTER GASKET	N Y	N Y	N Y	N Y	N Y			
CARTRIDGE FILTER	N Y	N Y	N Y	N Y	N Y			
WASTE CONTAINERS	N Y	N Y	N Y	N Y	N Y	CONTAINERS LABELED? Y N      CONTAINERS DATED? Y N		



# Bureau of Air Quality

## Dry Cleaner Air Emission Compliance

### Calendar

**DECEMBER 2004**

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
			1	2	3 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	4
5	6	7	8	9	10 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	11
12	13	14	15	16	17 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	18
19	20	21	22	23	24 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	25 <b>Merry Christmas</b>
26	27	28	29	30	31 Temp logged <input type="checkbox"/> Inspect logged <input type="checkbox"/>	

